


recessed
luminaires

DOTA

Clight


www.clight-led.com



DOTTA


recessed luminaires

INSTALLATION




4

ACRYLIC




6

CONE 9W




8

CONE 13W




10

SQUARE




12

SPOT



14

WALL-WASHER




16


INSTALLATION



Lighting fixture & driver



Tool Kit




Installation is a simple process thanks to the innovative drill tool kit. Final finishing needs a minimum amount of plaster work.

1. Drilling the hole



2. Installation of the frame



3. Plastering & paint work




4. Positioning the power supply



5. Installation of the fixture



6.



MAINTENANCE

1.



2.



The power supply and the fixture can be removed at any time by simply pressing the fixture once and pulling the fixture.



ACRYLIC



- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.

OPTIONS

		<p style="text-align: center;">Acr-15206</p>
--	--	---

ACRYLIC 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
370	3000	9	Ø 39 x Ø 85	On-Off	30°	TRIAC* 15217	<p>152045</p>	<p>15210</p>
						10°* 15216		

		<p style="text-align: center;">Acr-15206</p>
--	--	---

ACRYLIC 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Round Trim (W)*	Round Trim (B)*
370	3000	9	Ø 44	On-Off	30°	TRIAC* 15217	<p>15211</p>	<p>15367</p>
						10°* 15216		

* not included






CONE 9W








- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.

OPTIONS



		 <p> W-15204 B-15205 G-15365 </p>
---	--	---

CONE 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
560	3000	9	Ø 39 x Ø 85	On-Off	30°	TRIAC* 15217	 152045	 15210
						10°* 15216		

		 <p> W-15204 B-15205 G-15365 </p>
---	---	---

CONE 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
560	3000	9	Ø 44	On-Off	30°	TRIAC* 15217	 15211	 15367
						10°* 15216		

* not included







CONE 13W







- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Built-in dimmable driver (TRIAC).
- CRI 90.

OPTIONS

		 <p>W-15580</p>  <p>B-15581</p>
--	--	---

CONE 13W


lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
1289	3000	13	φ55*φ85	On-Off	24°	TRIAC included 15°* 15586	15585	15582

		 <p>W-15580</p>  <p>B-15581</p>
---	---	---

CONE 13W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
1289	3000	13	Ø58	On-Off	24°	TRIAC included 15°* 15586	15583	15584

* not included








SQUARE









- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.

OPTIONS



		<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  W-15212 </div> <div style="text-align: center;">  B-15213 </div> <div style="text-align: center;">  G-15366 </div> </div>
---	--	--

SQUARE 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	
573	3000	9	39x39 x Ø 85	On-Off	30°	TRIAC* 15217	 Square Trimless* 15214
						10°* 15216	

		<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  W-15212 </div> <div style="text-align: center;">  B-15213 </div> <div style="text-align: center;">  G-15366 </div> </div>
---	---	--

SQUARE 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming		
573	3000	9	43x43	On-Off	30°	TRIAC* 15216	 Matt White* 15215	 Matt Black* 15368
						10°* 15216		

* not included






SPOT






- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.

OPTIONS

		 <p>WB-15209</p> <p>BB-15370</p>
--	--	---

SPOT 7W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
464	3000	7	Ø 39 x Ø 85	On-Off	36°	TRIAC* 15217	152045	15210

		 <p>WB-15209</p> <p>BB-15370</p>
---	---	---

SPOT 7W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
464	3000	7	Ø 44	On-Off	36°	TRIAC* 15217	15211	15367

* not included







WALL-WASHER







- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.

OPTIONS

		 W-15207  B-15208
--	--	---

WALL-WASHER 6W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
253	3000	6	Ø 39 x Ø 85	On-Off	45°	TRIAC* 15218	152045	15210

		 W-15207  B-15208
---	---	---

WALL-WASHER 6W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
253	3000	6	Ø 44	On-Off	45°	TRIAC* 15218	15211	15367

* not included



DOTTA

recessed luminaires

We Are C-LIGHT

Being a young company, we always focus on the most advanced LED technology.

As all relevant development processes are carried out in house, we can produce custom designs and create new collections followed by the latest trends quickly and flexibly.

DESIGNED in EUROPE MADE in CHINA

C-light factory is located in Zhongshan China. The lowered cost that we achieved is being passed directly on to you.

C-light has been working with European lighting designers to develop custom lights of the highest technical standard. C-light uses the best materials in the market with Hardness Quality Checks for each product. The result is Premium Quality with reasonable price.

HEADQUARTER

Hatnufa 7 St.
9342207 Jerusalem
Israel

LOGISTIC CENTER

Tsela ha-Har St. 47
7178127 Modein
Israel

T +972 (2) 6727811/2
F +972 (2) 6727813

office@clight-led.com
export@clight-led.com

Clight
by **Cabasso Group**